



Powershift transmissions, type EcoLife, for buses and trucks

List of lubricants TE-ML 20

Table of contents	Page
1. Vehicle classification	1
2. Approved lubricant classes for EcoLife	1
3. Oil and filter change intervals	2
3.1 Oil and filter change intervals for buses as well as trucks used in long-haul and delivery traffic (ZF-EcoLife variants with the final letters T, TK, TP, TKP) ⁽³⁾	2
3.2 Oil and filter change intervals for coaches (6AP2300BC) ⁽³⁾	3
4. Lubricant classes and approved trade products	4

1. Vehicle classification

EcoLife transmissions are operated under loads and at oil temperatures which vary significantly. Oil releases and oil-change intervals are therefore vehicle-dependent. Consult the owner's manual for your vehicle to check whether TE-ML 20.100, 20.105 or 20.110 applies.

2. Approved lubricant classes for EcoLife

Product groups	Vehicle classification acc. to owner's manual	Lubricant classes for service fill ⁽¹⁾
EcoLife for buses	TE-ML 20.100	20B / 20C / 20F / 20G
6AP1000B, 6AP1000BS, 6AP1200B, 6AP1200BS, 6AP1400B, 6AP1400BS, 6AP1600BS, 6AP1700B, 6AP2000B, 6AP2300BC and accessory bevel-gear variants	TE-ML 20.105	20B / 20C / 20F / 20G
EcoLife for trucks	TE-ML 20.110	20F / 20G
All ZF-EcoLife variants with the final letters T, TK, TP, TKP		

(1) Refer to the following pages for approved commercial products and oil change intervals.

Additives of any kind added **later** to the oil change the oil in a manner that is unpredictable, and they are therefore not permitted. No liability of any kind will be accepted by ZF for any damage resulting from the use of such additives.

<p>The list of lubricants TE-ML 20, edition 01.01.2019 replaces all previous editions. The current list can be requested from any ZF after-sales service center or accessed on the Internet under www.zf.com/lubricants.</p>	<p>ZF Friedrichshafen AG D-88038 Friedrichshafen www.zf.com/contact</p>
--	--

3. Oil and filter change intervals

3.1 Oil and filter change intervals for buses as well as trucks used in long-haul and delivery traffic (ZF-EcoLife variants with the final letters T, TK, TP, TKP) ⁽³⁾:

Table 1: Vehicle classification TE-ML 20.100 (Oil sump temperatures up to 100°C)

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20B	60,000 km 1 x year
20C	120,000 km 1 x every 2 years
20F / 20G	240,000 km 1 x every 4 years

Table 2: Vehicle classification TE-ML 20.105 (Oil sump temperatures up to 105°C)

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20B	60,000 km 1 x year
20C	120,000 km 1 x every 2 years
20F / 20G	180,000 km 1 x every 3 years

Table 3: Vehicle classification TE-ML 20.110 (Oil sump temperatures up to 110°C)

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20F / 20G	120,000 km 1 x every 3 years

- (1) Refer to the following pages for approved commercial products and oil change intervals.
- (2) Oil and filter change required, depending on what occurs first. Use only ZF original filter elements, ZF order no. 4181 298 002. In the case that the initial reoiling from an ATF [automatic transmission fluid] of the lubricant class 20B to an ATF with extended oil change intervals is planned, then an interim oil change after 60,000 km / one year at the most is required.
- (3) For information on oil and filter change intervals for special vehicles and stationary applications (ZF-EcoLife variants with the final letters E, EK, EP, EKP, S, SP, SK or SKP), please refer to the List of Lubricants TE-ML 25.

3.2 Oil and filter change intervals for coaches (6AP2300BC) ⁽³⁾:**Table 1: Vehicle classification TE-ML 20.100 (Oil sump temperatures up to 100°C)**

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20B	120,000 km 1 x year
20C	180,000 km 1 x every 2 years
20F / 20G	300,000 km 1 x every 4 years

Table 2: Vehicle classification TE-ML 20.105 (Oil sump temperatures up to 105°C)

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20B	120,000 km 1 x year
20C	180,000 km 1 x every 2 years
20F / 20G	240,000 km 1 x every 3 years

Table 3: Vehicle classification TE-ML 20.110 (Oil sump temperatures up to 110°C)

Lubricant class ⁽¹⁾	Oil and pressure filter change interval [km/year] ⁽²⁾
20F / 20G	180,000 km 1 x every 3 years

- (1) Refer to the following pages for approved commercial products and oil change intervals.
- (2) Oil and filter change required, depending on what occurs first. Use only ZF original filter elements, ZF order no. 4181 298 002. In the case that the initial reoiling from an ATF [automatic transmission fluid] of the lubricant class 20B to an ATF with extended oil change intervals is planned, then an interim oil change after 60,000 km / one year at the most is required.
- (3) For information on oil and filter change intervals for special vehicles and stationary applications (ZF-EcoLife variants with the final letters E, EK, EP, EKP, S, SP, SK or SKP), please refer to the List of Lubricants TE-ML 25.

4. Lubricant classes and approved trade products

Lubricant class 20B

Manufacturer (20B)

ASTRIS SA, GIORNICO/CH
 BARDAHL ASIA PACIFIC PTE LTD, SINGAPORE/SG
 BELGIN MADENI YAGLAR TIC. VE SAN. A.S., KOCAELI/TR
 BELGIN MADENI YAGLAR TIC. VE SAN. A.S., KOCAELI/TR
 CEPESA COMERCIAL PETRÓLEO S.A.U., MADRID/ES
 CHEVRON LUBRICANTS, SAN RAMON, CA/US
 CHEVRON LUBRICANTS, SAN RAMON, CA/US
 CHEVRON LUBRICANTS, SAN RAMON, CA/US
 COMERCIAL ROSHFRANS, S.A. DE C.V., MEXICO, D.F./MX
 ENI S.P.A., ROME/IT
 ENI S.P.A., ROME/IT
 FUCHS PETROLUB SE, MANNHEIM/DE
 GAZPROMNEFT-LUBRICANTS, MOSCOW/RU
 GAZPROMNEFT-LUBRICANTS, MOSCOW/RU
 INA MAZIVA LTD., ZAGREB/HR
 LUBRICATION ENGINEERS, INC., FORT WORTH, TEXAS/US
 MOL-LUB KFT, ALMASFUZITO/HU
 OOO "LLK-INTERNATIONAL", MOSCOW/RU
 OOO "LLK-INTERNATIONAL", MOSCOW/RU
 PAKELO MOTOR OIL, SAN BONIFACIO (VR)/IT
 PAKELO MOTOR OIL, SAN BONIFACIO (VR)/IT
 PETROBRAS DISTRIBUIDORA S.A., DUQUE DE CAXIAS/BR
 PETROMIN CORPORATION, JEDDAH/SA
 PETRONAS LUBRICANTS INTERNATIONAL SDN BH, KUALA LUMPUR/MY
 PHI OIL GMBH, ST. GEORGEN/AT
 RALYO LUBRICANTES, S.A. DE C.V., SANTIAGO TIANGUISTEN/MX
 RAVENSBERGER SCHMIERSTOFFVERTRIEB GMBH, WERTHER/DE
 REPSOL LUBRICANTES Y ESPECIALIDADES, S.A, MADRID/ES
 REPSOL LUBRICANTES Y ESPECIALIDADES, S.A, MADRID/ES
 ROWE MINERALÖLWERK GMBH, WORMS/DE
 SINOPEC LUBRICANT CO., LTD., BEIJING/CN
 SINOPEC LUBRICANT CO., LTD., BEIJING/CN
 SRS SCHMIERSTOFF VERTRIEB GMBH, SALZBERGEN/DE
 TONGYI PETROLEUM CHEMICAL CO., LTD., BEIJING/CN
 UNITED OIL COMPANY PTE LTD, SINGAPORE/SG

Trade name (20B)

ASTRIS ATF GLOBAL
 SYNMAXTRAN-HD
 LUBEX ATF-III KYS
 LUBEX ATF-III KYS
 CEPESA ATF 3000 S
 HAVOLINE ATF MERCON V
 SYNTHETIC AUTOMATIC TRANSMISSION FLUID HEAVY DUTY
 DELO SYN ATF HD
 ATF ALLPOWER MULTIVEHICULOS
 ENI ROTRA ATF II E
 ENI ROTRA ATF MULTI
 TRANSWAY ATF EXTRA
 G-BOX ATF DX III
 G-BOX ATF DX III
 INA ATF DX IIIH
 LE 1150
 MOL ATF SYNT 3H
 LUKOIL ATF SYNTH MULTI
 LUKOIL ATF SYNTH MULTI
 AUXON II E
 ATF XT III FLUID
 LUBRAX ATF HD
 PETROMIN ATF Z20 ECO
 PETRONAS TUTELA ATF 700 HD
 ATF D3 GOLD
 TRANSFLUID SYNTHETIC M-5
 RAVENOL DEXRON III H
 REPSOL MATIC III
 REPSOL MATIC LD ATF
 ROWE HIGHTEC ATF 9000
 SINOPEC GREATWALL ATF HD S
 SINOPEC GREATWALL ATF HD
 SRS VIOLIN ATF III MV
 LINGXIAN 6+ AUTOMATIC TRANSMISSION FLUID
 UNITED MV 99

ZF approval number

ZF002187
 ZF002246
 ZF002255
 ZF002293
 ZF000386
 ZF000101
 ZF001219
 ZF001664
 ZF000385
 ZF000951
 ZF003452
 ZF001332
 ZF001956
 ZF002221
 ZF002314
 ZF001676
 ZF001895
 ZF001127
 ZF001944
 ZF000048
 ZF001177
 ZF002120
 ZF001974
 ZF003627
 ZF003507
 ZF001025
 ZF001609
 ZF000318
 ZF001751
 ZF001937
 ZF003346
 ZF003348
 ZF002061
 ZF003377
 ZF003562

Lubricant class 20C**Manufacturer (20C)**

ALLEGHENY PETROLEUM, WILMERDING, PA/US
 AMSOIL, INC., SUPERIOR, WI/US
 ARAL AG, BOCHUM/DE
 BASF SE, LUDWIGSHAFEN/DE
 BP PLC., LONDON/GB
 BP PLC., LONDON/GB
 BUCHER AG LANGENTHAL, LANGENTHAL/CH
 CASTROL LTD, LONDON/GB
 CASTROL LTD, LONDON/GB
 CASTROL LTD, LONDON/GB
 CASTROL LTD, LONDON/GB
 EXOL LUBRICANTS LTD, WEDNESBURY/GB
 EXXONMOBIL CORPORATION, HOUSTON, TX/US
 EXXONMOBIL CORPORATION, HOUSTON, TX/US
 FUCHS PETROLUB SE, MANNHEIM/DE
 FUCHS PETROLUB SE, MANNHEIM/DE
 H. BANTLEON GMBH / GESELLS. D. AVIA, ULM/DE
 HI-TEC OILS, SMITHFIELD/AU
 KUWAIT PETROLEUM INTERNATIONAL LUBRICANT, ANTWERP/NL
 LUBRICATING SPECIALTIES COMPANY, PICO RIVERA/US
 MOL-LUB KFT, ALMASFUZITO/HU
 MOTUL SA, AUBERVILLIERS/FR
 OOO "LLK-INTERNATIONAL", MOSCOW/RU
 OY TEBOIL AB, HELSINKI/FI
 PAKELO MOTOR OIL, SAN BONIFACIO (VR)/IT
 PAKELO MOTOR OIL, SAN BONIFACIO (VR)/IT
 PETROGAL S.A., LISBOA/PT
 PETROMIN CORPORATION, JEDDAH/SA
 PETRONAS LUBRICANTS INTERNATIONAL SDN BH, KUALA LUMPUR/MY
 REPSOL LUBRICANTES Y ESPECIALIDADES, S.A, MADRID/ES
 SASOL OIL, RANDBURG/ZA
 SINOPEC LUBRICANT CO., LTD., BEIJING/CN
 SINOPEC LUBRICANT CO., LTD., BEIJING/CN
 TAMOIL ITALIA SPA, MILANO/IT
 TEDEX S.A., WARSZAWA/PL
 TONGYI PETROLEUM CHEMICAL CO., LTD., BEIJING/CN
 VALVOLINE AUSTRALIA PTY LTD, WETHERILL PARK, NSW/AU
 VALVOLINE EUROPE, DORDRECHT/NL

Trade name (20C)

ALTRA SHL EXTENDED DRAIN ZF 20C
 TORQUE-DRIVE SYNTHETIC ATF
 ARAL GETRIEBEÖL ATF LD
 EMGARD 2805
 BP AUTRAN LTF
 BP AUTRAN SYN 295
 ATF VZ
 CASTROL TRANSMAX Z
 CASTROL TRANSYND
 CASTROL TRANSMAX ATF Z
 TES-295 SYN TRANSMISSION FLUID
 AUTOTRANS ELC
 MOBIL DELVAC SYNTHETIC ATF
 MOBIL DELVAC 1 ATF
 TRANSWAY ATF ULTRA
 FUCHS TITAN ATF 5500
 AVILUB FLUID ATZ 295
 MULTITRANS PLUS ATF
 Q8 AUTO 15 S
 MV TYPE 20C ATF
 MOL ATF 295
 MOTUL ATF HD
 LUKOIL ATF SYNTH MN Z3
 TEBOIL FLUID ES-MAX
 AUXON III PLUS
 ATF XT III FLUID PLUS
 GALP TRANSMATIC Z
 PETROMIN ATF Z20 LD
 PETRONAS TUTELA ATF 900 HD
 REPSOL MATIC SINTETICO
 SYN TRANSMISSION OIL VI
 SINOPEC GREATWALL FULLY SYNTHETIC ATF HD S
 SINOPEC GREATWALL SYNTHETIC ATF HD
 TAMOIL ATF LONG LIFE HD
 TEDEX ATF SYNTHETIC (S)
 LINGXIAN 10+ AUTOMATIC TRANSMISSION FLUID
 HEAVY DUTY ATF PRO ECO PLUS
 VALVOLINE HEAVY DUTY ATF PRO ECO

ZF approval number

ZF001756
 ZF001841
 ZF000144
 ZF003370
 ZF000195
 ZF000197
 ZF003369
 ZF000221
 ZF000226
 ZF002158
 ZF002298
 ZF001685
 ZF001234
 ZF001827
 ZF001330
 ZF001797
 ZF002288
 ZF001669
 ZF001635
 ZF002208
 ZF003361
 ZF003587
 ZF001302
 ZF001726
 ZF001466
 ZF001748
 ZF001893
 ZF002003
 ZF003567
 ZF003586
 ZF001091
 ZF003345
 ZF003347
 ZF001672
 ZF002213
 ZF003378
 ZF003488
 ZF001871

Lubricant class 20F**Manufacturer (20F)**

PETRONAS LUBRICANTS INTERNATIONAL SDN BH, KUALA LUMPUR/MY
SHELL INTERNATIONAL PETROLEUM COMP. LTD, LONDON/GB
ZF FRIEDRICHSHAFEN AG, FRIEDRICHSHAFEN/DE

Trade name (20F)

TUTELA TRANSMISSION ATF 120
SHELL SPIRAX S6 ATF ZM
ZF ECOFLUID A LIFE

ZF approval number

ZF000053
ZF001483
ZF001671

Lubricant class 20G

Manufacturer (20G)

ZF FRIEDRICHSHAFEN AG, FRIEDRICHSHAFEN/DE

Trade name (20G)

ZF-ECOFLUID LIFE PLUS

ZF approval number

ZF001719